

73302

100% Recycled Coated Inkjet Paper - 90 g/m² 5 mil

PRODUCT DESCRIPTION

73302 is a 90 g/m² coated matte inkjet paper designed primarily for economical display graphics or color inkjet CAD applications. The print side surface treatment helps hold fine lines without bleed and the natural base color of 3301 assures you that it has been made from 100% recycled paper fiber (post-consumer waste) according to the RAL UZ 14 – Blue Angel standards where base papers use no optical brightener and no chlorine in their manufacturing process.

SPECIFICATIONS

Caliper	5 mil
Weight	90 g/m ²
Gloss (60°)	matte
Opacity	>90%

*All values listed are target values

FEATURE	ADVANTAGE
100% Recycled Post Consumer Fiber	"Green"
Water Resistant	Ink will not run if gets wet
No Optical Brightener	Colors wont shift
No Chlorine	Colors wont shift
Good K Density	Excellent for Display and Technical Graphics

SIZE	PART NUMBER	CORE
24" x 150'	73302000153B	2"
36" x 150'	73302000243B	2"
50" x 150'	73302000373B	2"

PRINTER

Hewlett Packard DJ Z 2100, 3100, 6100
Hewlett Packard DJ 5000 / 5500 /
Epson Pro 4000, 7600, 9600, 10600
Epson Stylus Pro 4800, 4880, 7800, 7880, 9800, 9880, 11880
Canon iPF 5000, 5100, 6100, 8000, 8100, 9000, 9100

INK

Vivera Pigment
Dye / UV
Ultra Chrome
K3
Lucia Pigment

FINISHING RECOMENDATIONS

Protect prints imaged with dye inks under glass or laminate to increase gas-fastness.
Use low melt or pressure sensitive laminates to extend the life of the print and increase its durability.
For best results use thinner and flexible laminates.
Allow 24 hours for ink to cure before protecting image.

STORAGE CONDITIONS

Temperature 59o-86oF. (15°-30°C).
Repack opened rolls when not in use.
One year shelf life at conditions noted above.
Allow material to stabilize to room conditions for 24 hours before use.